



Blue Tick
Product
Certification

**Approved by Furntech-AFRDI
based on European Standard
BS EN 15372:2008
*Furniture – Strength, durability and safety
Requirements for non-domestic tables***

Certificate No.
14723/1
Expires
12 February 2022

Supplier: **Luxmy Furniture**
Description: **Talki Rectangular Table**
Tested at: **Level 3 - Severe Commercial**

Certification is based on the above Standard and any additional testing and/or assessment conducted by Furntech-AFRDI during auditing processes.

The supplier having agreed to maintain the compliance of the product and to submit to retesting and auditing as appropriate, the Australasian Furnishing Research and Development Institute hereby certifies the product under the AFRDI Blue Tick Product Certification Program.

This certification is valid for three years but may be suspended, revoked or renewed.

Certified Features/Options
Top size - 1800 mm x 800 mm
25 mm E0 MDF Melamine coated top
Timber legs
Aluminium legs
Height adjustable glides



Ian Burton
Technical Manager

14723-1_190212_ct.doc



Australasian Furnishing Research & Development Institute Limited

ABN 44 009 579 908, trading as Furntech

School Road (University Campus) Newnham Drive PO Box 2042 Launceston Tasmania 7250 Australia

Tel (03) 6326 6155 Fax (03) 6326 3090

Website: www.furntech.org.au Email: info@furntech.org.au

Furntech-AFRDI TEST REPORT No. 14723/1

**Tested to the methods specified in
European Standard BS EN 15372: 2008
*Furniture – Strength, durability and safety
Requirements for non-domestic tables***

Furntech-AFRDI No.: 14723/1
Supplier: Luxmy Furniture
Supplier address: 19 Moxton Road
Punchbowl NSW 2196
Description: Talki Rectangular Table, timber legs
Table top size/thickness/material tested:
1800 x 800 mm, 25 mm E0 MDF,
Melamine coated
Test level: Level 3, Severe Commercial
Date of test: 17 January 2019

TEST RESULTS

SECTION 5 Safety requirements

Requirements	Result
5.1 GENERAL	
Edges of table tops which are directly in contact with the user must be rounded or chamfered, and all other edges accessible during intended use must be free from burrs and/or sharp edges.	Compliance
Ends of hollow components must be closed or capped.	Compliance
Moveable and adjustable parts shall be designed so that injuries and inadvertent operation are avoided.	Not applicable
It shall not be possible for any load bearing part of the table to come loose unintentionally.	Compliance
All parts which are lubricated to assist sliding shall be designed to protect users from lubricant stains when in normal use.	Not applicable
5.2 SHEAR AND SQUEEZE POINTS	
5.2.1 Shear and squeeze points when setting up and folding	Not applicable
5.2.2 Shear and squeeze points under influence of powered mechanisms	Not applicable
5.2.3 Shear and squeeze points during use	Compliance

This Test Report refers to testing on one sample.
 This Test Report may only be reproduced in full.
 This Test Report does not imply certification or endorsement by Furntech-AFRDI.

SECTION 6 Strength and durability

Requirement			RESULT ¹
6.1 General			
Table 2 – Stability, strength and durability tests			
1. Stability under vertical load			
BS EN 1730: 2000 Clause 6.7	Test force for main surface	400 N	Compliance No overturning
	Test force for ancillary surface		Not applicable
2. Stability for tables with extension elements			
BS EN 15372:2008 Clause 5.3.2	Test force		Not applicable
3. Horizontal static load			
BS EN 1730: 2000 Clause 6.2	Table height	725 mm	Compliance
	Test force	600 N	
4. Vertical static load			
BS EN 1730: 2000 Clause 6.3 Concentrated load	Test force for main surface	1250 N	Compliance
	Test force for ancillary surface		Not applicable
BS EN 15372:2008 Distributed load ²	Test load (1.5 kg/dm ²)	216 Kg	Compliance
	Length of time test applied	1 week	
5. Horizontal fatigue			
BS EN 1730:2000 Clause 6.4	Number of cycles	20 000	Compliance
	Test force	300 N	
6. Vertical fatigue for cantilever or pedestal tables			
BS EN 1730:2000 Clause 6.5	Number of cycles		Not applicable
	Test force		
7. Vertical impact for tables without glass in their construction			
BS EN 1730:2000 Clause 6.6	Drop height (mm)	240 mm	Compliance
8. Vertical impact for tables with glass in their construction			
BS EN 1730:2000 Clause 6.6	Drop height for safety glass		Not applicable
BS EN 14072:2003 Clause 6	Drop height for other glass		Not applicable
9. Drop test for tables weighing more than 20 kg			
BS EN 15372:2008 Annex A	Drop height for tables without glass	93 mm	Compliance

Note 1: Compliance in the 'Result' column demonstrates that all requirements for Section 6.2 have been fulfilled at the completion of the test.

Note 2: A distributed load test replaces the Annex B deflection test.

This Test Report refers to testing on one sample.
 This Test Report may only be reproduced in full.
 This Test Report does not imply certification or endorsement by Furntech-AFRDI.

SECTION 7 Information for use

Requirement		RESULT
Information for use shall be available in the language of the country of use in which it will be delivered to the end user.		Compliance English
It shall contain at least the following details:		
a)	information regarding the intended use;	Compliance
b)	assembly instruction, where applicable;	Compliance
c)	instructions for the care	Compliance
	and maintenance of the table.	Compliance

Tested by:

Date:

Checked by:



Colin Witt
Title

12 February 2019



*Dr Lee Bowkett
Title

* Approved Signatory